

ISSUED TO

DOUGLAS AIRCRAFT COMPANY

MANIFEST NUMBER 89479366

DATE RECEIVED MARCH 20, 1991

The aqueous waste received on the above manifest will be treated to standards mandated by the FEDERAL CLEAN WATER ACT and to effluent requirements established by the Sanitation Districts of Los Angeles County. Waste treatment and recycling is performed under permits granted to CHEM-TECH SESTIMS, INC., a California corporation, by the California Department of Health Services, in coordination with the Environmental Protection Agency, in accordance with the provisions of the Resource Conservation and Recovery Act (RCRA) of 1976, together with applicable federal and state regulations including but not limited to waste discharge requirements established by the Sanitation Districts of Los Angeles County.

When the above described material is accepted by CHEM TECH SYSTEMS, INC. and treated/recycled and the aqueous phase discharged for further treatment by the Santation Districts, the certificate police's responsibility for the material is eliminated under both RCRA and Proposition 65. Upon request, CHEM TECH SYSTEMS, INC. will issue this certificate that all material bas been bandled in accordance with applicable permits, and the certificate holder's liability has been terminated.



a commitment to a clean environment

MARCH 20, 1991

DATE

PLANT MANAGER

3650 EAST 26th STREET • VERNON, CALIFORNIA 90023 (213) 268-5056 • FAX: (213) 268-9672

	nifest nent No.	- C			he shaded areas by Federal law.
WASTE MANIFEST C A D O 8 6 5 1 O O 0 5 9 1 1 3 Generator's Name and Mailing Address Douglas Aircraft Company Attn: R. Tuell M/S C6-10 19503 S. Normandie Avenue, Torrance, CA 90502		A. Sta	te Manifest Docur 894 te Generator's ID	ment Num	
4. Generator's Phone (213) 783-5928 or 213-533-7231 5. Transporter 1 Company Name 6. US EPA ID Number JCI Environmental Services 1 0 A 0 9 8 0 1 8 7. Transporter 2 Company Name 8. US EPA ID Number	3 6 5	C. Sta D. Tra E. Sta	A H () 3 6 te Transporter's I nsporter's Phone te Transporter's I nsporter's Phone	D // 213-3	15 6 9 8 268-3137
9. Designated Facility Name and Site Address Chem-Tech Systems, Inc. 3650 E. 26th Street Vernon, CA 90023 O A T 0 8 0 0 3 3		G. Sta	te Facility's ID		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Conta		13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
RQ, Waste, Corrosive Liquid, N.O.S. (Nitric acid) Corrosive material, UN1760 (D002)	0]0]1	T I T	04000	6	State 791
b.	11				EPA/Other State
	11	1			EPA/Other State
J. Additional Descriptions for Materials Listed Above		L K Ha	IIII	Wastes I	EPA/Other
		a.	Alab de Labor	b.	
a)ID # 101020-02 - Tank 97- Titanium Chem Mill Nitric acid 0-15% Sodium Lauryl Sulfate 0- Hydrofluoric acid 0-5% Dissolved Titanium 0-1% Butyl C ellosolve 0-4% Water 74-100%	-1%	C.		d.	Section 1
Nitric acid 0-15% Sodium Lauryl Sulfate 0- Hydrofluoric acid 0-5% Dissolved Titanium 0-1%	00. Do	not	generato	vapor	rs, do not clume is
Nitric acid 0-15% Sodium Lauryl Sulfate 0- Hydrofluoric acid 0-5% Dissolved Titanium 0-1% Butyl C ellosolve 0-4% Water 74-100% 15. Special Handling Instructions and Additional Information In case of accident coptact Chemtrec at 800-424-930 wash into sewer or waterway. If unable to deliver,	00. Do retur Permi	not not t #	described above ay according to a te generated to the currently available	vapor r. Vo	or shipping name international and at have determined which minimizes the
Nitric acid 0-15% Sodium Lauryl Sulfate 0- Hydrofluoric acid 0-5% Dissolved Titanium 0-1% Butyl C ellosolve 0-4% Water 74-100% 15. Special Handling Instructions and Additional Information In case of accident coptact Chemtrec at 800-424-93 wash into sewer or waterway. If unable to deliver, approximate. DoT Emergency Response Guide # 60. EH 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fundare classified, packed, marked, and labeled, and are in all respects in proper condition for national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume at to be economically practicable and that I have selected the practicable method of treatment, st present and future threat to human health and the environment; OR, if I am a small quantity gen generation and select the best waste management method that is available to me and that I can be considered. Printed/Typed Name Signature Signature	OO. Do retur Permi	onoten to the curately by highway of was disposal ave made	described above ay according to a te generated to the currently available	vapor r. Vo	or shipping name international and all have determined which minimizes the nimize my waste
Nitric acid 0-15% Sodium Lauryl Sulfate 0- Hydrofluoric acid 0-5% Dissolved Titanium 0-1% Butyl C ellosolve 0-4% Water 74-100% 15. Special Handling Instructions and Additional Information In case of accident coptact Chemtrec at 800-424-936 wash into sewer or waterway. If unable to deliver, approximate. DoT Emergency Response Guide # 60. EH 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are from and are classified, packed, marked, and labeled, and are in all respects in proper condition for national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume at to be economically practicable and that I have selected the practicable method of treatment, streament, and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that I call Printed/Typed Name Signature	OO. Do retur Permi	onoten to the curately by highway of was disposal ave made	described above ay according to a te generated to the currently available a good faith eff	vapor r. Vo	er shipping name international and which minimizes the nimize my waste Month Day Ye 032 9 9 Month Day Ye 03 2 9 9
Nitric acid 0-15% Sodium Lauryl Sulfate 0- Hydrofluoric acid 0-5% Dissolved Titanium 0-1% Butyl C ellosolve 0-4% Nater 74-100% 15. Special Handling Instructions and Additional Information In case of accident coptact Chemtrec at 800-424-93 wash into sewer or waterway. If unable to deliver, approximate. DoT Emergency Response Guide # 60. EH 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are find and are classified, packed, marked, and labeled, and are in all respects in proper condition for national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume at to be economically practicable and that I have selected the practicable method of treatment, st present and future threat to human health and the environment; OR, if I am a small quantity gengeneration and select the best waste management method that is available to me and that I can be removed. Printed/Typed Name Signature Signature Signature	OO. Do retur Permi	onoten to the curately by highway of was disposal ave made	described above ay according to a te generated to the currently available a good faith eff	vapor r. Vo	er shipping name international and which minimizes the nimize my waste Month Day Ye Month Day Ye
Nitric acid 0-15% Sodium Lauryl Sulfate 0- Hydrofluoric acid 0-5% Dissolved Titanium 0-1% Butyl C ellosolve 0-4% Water 74-100% 15. Special Handling Instructions and Additional Information In case of accident coptact Chemtrec at 800-424-93 wash into sewer or waterway. If unable to deliver, approximate. DoT Emergency Response Guide # 60. EH 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are from and are classified, packed, marked, and labeled, and are in all respects in proper condition for national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume at to be economically practicable and that I have selected the practicable method of treatment, st present and future threat to human health and the environment; OR, if I am a small quantity gen generation and select the best waste management method that is available to me and that I can be considered to the property of	OO. Do retur Permi	onoten to the curately by highway of was disposal ave made	described above ay according to a te generated to the currently available a good faith eff	vapor r. Vo	er shipping name international and which minimizes the nimize my waste Month Day Ye 032 9 9 Month Day Ye 032 9 9

DHS 8022 A (1/88)

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL # NSE CENTER 1-800-424-8802; WITHIN

Do Not Write Below This Line

EPA 8700—22 (Rev. 9-88) Previous editions are obsolete.



4133 Bandini Blvd. Los Angeles, California, 90023 (213) 268-3137 FAX (213) 268-6254

WORK ORDER

EPA NO. **CAD 058018367** FED. TAX NO. **XR 95 - 2769288** WASTE HAULER NO. **139**

HIPPER	MCDONNIELL I							A.S.A.		
	19503 80. 1	KORMANDI				DATE:			20, 199	1
	TORRANCE,	CALIF.				P.O. NUM	15.77		····	
BILLING ADDRESS	MCDONNIELL I	DOUGLAS (CORP.		*.	RELEAS	₩.,			.*
	DEPT. 29711				31	CONTAC	-	KURT W	ARD	
	LONG BEACH,	, CALIF.	9080	1		PHONE		(213)	783-592	7
OB ADDRESS	MODOWNELL I	DOUGLAS	CORP.			JOB NO.		91-03-	216	
	19503 80. 1	HORMANDI	E AVE.			CONTAC		KURT W	ARD	
	TORRANCE, C	CALIF.				PHONE			783-592	7
- Andrews					·	PHONE				
ORIGIN	TORRANCE		,			DESTINA	TION	LOS AN	CELES	
COMMODITY	Mirrie	Nois		*** * * * * * * * * * * * * * * * * * *		MANIFES			7 921	P
ju di	DOOMTON A	5000 GAL	LON RU						NK 9 9.	70
ORK PERFORMED	AND TRANS				-		.*			4.7
			<u> </u>	<u> </u>	en e	4.0	17.	Secretary and the second		
						BIN # _				
NO. LOADS						DISPOSA	L SITE _			
NO. LOADS ON RUCK NO. 32						DISPOSA	L SITE _			
RUCK NO	TRAIL	ER NO	T-19	2	_ CAPAC	DISPOSA	L SITE _	623	•	
RUCK NO. 32	TRAIL	ER NO	T-19	?	_ CAPAC	DISPOSA	L SITE _	623	•	
RUCK NO. 32	TRAIL	ER NO	T-19	9	_ CAPAC	DISPOSA CITY GROSS HO	L SITE _	625	•	
RUCK NO. 32 START	TRAIL	ER NO	T-19	?	_ CAPAC	DISPOSA CITY GROSS HO	L SITE _	GZ5	•	
RUCK NO. 32 START	TRAIL	ER NO	T-19	?	_ CAPAC	DISPOSA CITY GROSS HO	L SITE _ ODO DURS _ UCKING C SPOSAL FI	HARGES	•	
RUCK NO. 32 START	LOCATION ORRANGE RRA NCE	ER NO	T-19	?	_ CAPAC	DISPOSA CITY GROSS HO TR DI	L SITE _ OOO DURS _ UCKING C	HARGES	•	
RUCK NO. 32 START	LOCATION	ER NO	T-19	HRS	_ CAPAC	DISPOSA CITY	DURS UCKING C SPOSAL FI ASH OUT	HARGES EE	•	
RUCK NO. 32 START	LOCATION ORRANGE RRA NCE	ER NO	T-19	?	_ CAPAC	DISPOSA CITY GROSS HO DISPOSA CITY GROSS HO DISPOSA	L SITE _ ODO DURS _ UCKING C SPOSAL FI ASH OUT SPOSAL C ARGE	HARGES EE	•	
RUCK NO. 32 START	LOCATION	STOPSTART I	T-19	HRS	_ CAPAC	DISPOSA CITY GROSS HO DISPOSA CITY GROSS HO DISPOSA	DURS UCKING C SPOSAL FI ASH OUT SPOSAL C ARGE URCHARGE	HARGES EE	•	
RUCK NO. 32 START	LOCATION	STOPSTART I	T-19	HRS	_ CAPAC	DISPOSA CITY GROSS HO DISPOSA TR DI W DISPOSA O O O O O O O O O O O O O	DURS UCKING C SPOSAL FI ASH OUT SPOSAL C ARGE URCHARGE	HARGES EE ARRYING	•	
RUCK NO. 32	LOCATION	STOPSTART I	T-19	HRS	_ CAPAC	DISPOSA CITY GROSS HO DISPOSA TR DI W DISPOSA O O O O O O O O O O O O O	DURS UCKING C SPOSAL FI ASH OUT SPOSAL C ARGE JRCHARGI	HARGES EE ARRYING	•	
RUCK NO. 32	LOCATION	STOPSTART I	T-19	HRS	_ CAPAC	DISPOSA CITY GROSS HO TR DI W DII CH SI	DURS UCKING C SPOSAL FI ASH OUT SPOSAL C ARGE JRCHARGI	HARGES EE ARRYING	•	
RUCK NO. 32	LOCATION	STOPSTART I	T-19	HRS	_ CAPAC	DISPOSA CITY GROSS HO DISPOSA TR DI W DISPOSA TO DE	DURS UCKING C SPOSAL F ASH OUT SPOSAL C ARGE JRCHARGI	HARGES EE ARRYING	•	
RUCK NO. 32 STARTOPERATION	LOCATION	STOPSTART I	T-19	HRS	_ CAPAC	DISPOSA CITY GROSS HO DISPOSA TR DI TR TR TR TR TR TR TR TR TR T	DURS UCKING C SPOSAL FI ASH OUT SPOSAL C ARGE URCHARGI THER	HARGES EE ARRYING	•	